

# KÄRCHER

makes a difference



## DRIVING INNOVATION FORWARD.

The extremely agile walk-forward extractor and interim cleaner.

# Walk forward extraction.

It has never been easier and more enjoyable to clean your carpets! Designed to be the ultimate in maneuverability and productivity, the Windsor Kärcher Group Armada® BRC 40/22 is driving innovation forward. Enjoy the superior ergonomics of extracting while walking forward! The extractor deck rotates to allow cleaning in any direction. This new extractor provides anywhere from 30-60% productivity improvement in addition to reduced dry times. Our cleaning technology conveniently provides productive interim & deep extraction cleaning in one machine. Clean your carpets with the efficiency and speed never before seen.



## 1 Walk forward ergonomics

- The only self-contained walk behind extractor to allow for forward movement
- Steerable extractor head provides excellent maneuverability in any direction
- Adjust the steering wheel to any operator height for optimum ergonomics

## 2 Easy maintenance

- The brush and vacuum shoe require no tools to save time during daily cleaning and maintenance
- In line solution filter is easy to access and can be removed with solution in tank

## 3 Set it and go

- Single dial to select mode of operation is intuitive and makes for easy training

## 4 Real world practicality

- Ecoefficiency mode is quiet and perfect for daytime cleaning
- Our cleaning technology provides a 40% reduction in carpet dry times
- Cord management system keeps cord out of the way during operation

## 5 Productive interim mode

- Interim encapsulation cleaning technology provides a way to get your carpet cleaner faster with longer lasting results
- Carpets cleaned with interim encapsulating chemical are ready for traffic in approximately 20 minutes
- Interim cleaning process extends the time between scheduled deep extractions saving you time and money

# Technical Specifications and Order Numbers.



## ARMADA® BRC 40/22 C

### TECHNICAL SPECIFICATIONS

Cleaning path/width	in	16
Solution/recovery capacity	gal	6/5
Practical productivity - restorative/interim	sq.ft/hr	5,437/9,723
Operating noise level - std/Eco! mode	dba	68/65
Power cord length	ft	50
Vacuum	hp, stage	1.5, 3
Water lift	in	120
Pump pressure - restorative/interim	psi	100/50
Flow rate - restorative/interim	gpm	0.65/0.1
Weight	lbs	100
Dimensions (L x W x H)	in	45 x 18 x 37

### EQUIPMENT

Order No.	Item Description
1.008-060.0	Armada® BRC 40/22 C, 120 Volt

### ACCESSORIES

Order No.	Item Description
■ 8.623-411.0	Yellow power cord, 50 feet long
■ 8.641-118.0	16 inch carpet brush
■ 8.640-946.0	In-line solution filter
□ 8.600-001.0	Deluxe hand tool kit (includes 12-foot vacuum/solution hose, carrying bag)

■ Included □ Optional

Please contact us for more information:

**Alpha Tech Pet, Inc.**  
25 Porter Road, Suite 210  
Littleton, MA 01460

Phone 800-222-5537  
Email [sales@alphatechpet.com](mailto:sales@alphatechpet.com)